# Pella<sup>®</sup> Lifestyle Series

Clad/Wood



#1 performing wood window and patio door for the combination of energy, sound and value.<sup>1</sup>

Triple-pane casement



Dual-pane casement



# Available in these window and patio door styles:<sup>5</sup>



#### Performance redefined

You don't have to compromise on any aspect of performance. Available performance solutions offer an unbeatable combination of energy efficiency, sound control and value.<sup>1</sup>

#### • ENERGY STAR® certified<sup>2</sup>

Pella products offer energy-efficient options that will meet or exceed ENERGY STAR guidelines in all 50 states. Pella Lifestyle Series products with triple-pane glass have been awarded ENERGY STAR Most Efficient Mark in 2022.

#### • Enhanced sound control

Our patented, triple-pane design with Advanced Low-E glass allows for mixed glass thickness for enhanced sound dampening resulting in an average 52% noise reduction versus single-pane windows.<sup>3</sup>

#### • Popular features and options

Low-maintenance aluminum-clad exteriors. Factory prefinish with a choice of several paints and stains, or choose primed or unfinished. Several grille types and patterns and high-transparency screens are also available.

#### • Intentional design for improved durability

Intentional jamb/sill design helps seal the end grain of the wood and elevates it off the rough opening, reducing the potential for moisture.

#### • Durable 3-way corner joint

Three-way corner joints are made up of mortise-and-tenon, metal fasteners and commercial adhesive for added strength and durability.

#### • Low-maintenance exteriors

Aluminum-clad exteriors with EnduraClad® finish resists fading and chalking. It is applied in an overlapping fashion for exceptional protection.

#### Exclusive wood protection

Pella's exclusive EnduraGuard® wood protection is applied after the pieces have been cut and milled, but prior to final assembly. It provides advanced protection against the effects of moisture, decay, stains from mold and mildew – as well as termite damage.

#### • Best limited lifetime warranty<sup>4</sup>

Pella Lifestyle Series products are covered by the best limited lifetime warranty in the industry for wood windows and patio doors.  $^4$ 

#### • Testing beyond requirements

At Pella, our products are tested beyond requirements to help ensure they have long-lasting performance and reduce call-backs for you.

# **Product Specifications**

Window & Patio Door Styles	Min.					Performance Values		
	Width	Min. Height	Max. Width	Max. Height	Performance Class & Grade	U-Factor	SHGC	STC
<b>Awning</b> Dual-pane vent	21"	17"	59"	59"	LC30	0.25-0.35	0.19-0.51	25-28
Awning Triple-pane vent	21"	17"	59"	59"	LC25-CW50	0.12-0.19	0.24-0.56	31-37
Casement Dual-pane vent	17"	17"	35"	73"	LC30-LC50	0.25-0.35	0.19-0.51	25-31
<b>Casement</b> Triple-pane vent	17"	17"	35"	73"	R20-CW50	0.20-0.25	0.17-0.46	31-37
Fixed Casement Dual-pane	17"	17"	73"	73"	LC30-LC50	0.23-0.50	0.19-0.66	29-32
Fixed Casement Triple-pane	17"	17"	73"	73"	R20-CW50	0.19-0.24	0.17-0.46	33-37
<b>Double-Hung</b> Dual-pane vent	21"	35"	41.5"	77"	LC30-LC50	0.19-0.66	0.20-0.56	27-31
<b>Hinged Patio Door</b> Dual-pane single door	30"	80"	38"	96"	LC50	0.25-0.29	0.18-0.48	31
<b>Hinged Patio Door</b> Triple-pane single door	30"	80"	38"	96"	LC55	0.22-0.26	0.14-0.38	34-36
<b>Hinged Patio Door</b> Dual-pane double door	60"	80"	75"	96"	LC50	0.25-0.29	0.18-0.48	30-32
<b>Hinged Patio Door</b> Triple-pane double door	50"	80"	75"	96"	LC55	0.22-0.26	0.14-0.38	34-36
<b>Sliding Patio Door</b> Dual-pane single-door fixed (O)	31"	80"	49"	96"	CW50	0.24-0.33	0.18-0.51	27
<b>Sliding Patio Door</b> Triple-pane single-door fixed (O)	31"	80"	49"	96"	CW60	0.21-0.27	0.17-0.45	33-36
<b>Sliding Patio Door</b> Dual-pane double-door vent (OX or XO)	60"	80"	96"	96"	R20-LC50	0.24-0.33	0.18-0.51	29-32
<b>Sliding Patio Door</b> Triple-pane double-door vent (OX or XO)	60"	80"	96"	96"	R25-LC60	0.21-0.27	0.17-0.45	33-36

## Colors

Prefinished Pine Interior Colors	We can pre also availal	ur choice of sev	
	White	Bright White	Linen White
Aluminum-Clad Exterior Colors		aintenance Endu nduraClad prote	
	Black	White	Brown
	Iron Ore	Portobello	Putty
Integrated Blinds <sup>6</sup>		s up for an unob available manual	
	White	Poplar	Bisque

#### Window sizes available in 1/4" increments

is. For more information regarding performance, visit pella.com/performance. For more information regarding frame and installation types, visit installpella.com.

# Window Hardware





# **Patio Door Hardware**

Essential Collection Elevate your style and transform a home with elegant selections.

**Sliding Patio** 

Door Handle



Hinged Patio Door Handle



### Added Peace of Mind

Int	egrated	
Se	curity	
Se	nsors	

Integrated

Shades<sup>6</sup>

Integrated wireless security sensors maintain aesthetics, streamline security installation and ensure no warranty loss is caused by post-installation drilling. Sensors can be monitored via the free Pella® Insynctive® App and are compatible with major security panel systems.<sup>7</sup> For more information, go to connectpella.com.

Our best integrated fabric shades feature a white exterior fabric for a uniform look from the street. Integrated and accessible shades are available manual or motorized with Pella Insynctive technology.

Light-Filtering: White Silver Maize

White

Haven't landed on the final blind or shade color selection? No problem. With our patented triple-pane design, you and your customer can make those decisions later in the schedule. Our triple-pane products come with all of the hardware to add a blind or shade straight from the factory or at a later time in the building or remodeling process.

several paint and stain colors. Unfinished or primed and ready-to-paint are











erior finish resists fading and helps protect windows and patio doors for years. for coastal projects with high salt exposure is also available.



ew or tilt to let in just the right amount of light. Our best integrated and accessible ed with Pella® Insynctive® technology.





## **Performance Packages**

To make things easier, we've created performance packages.

Performance solutions offer an unbeatable combination of energy efficiency, sound control and value.<sup>1</sup> Create room-by-room solutions with the upgraded triple-pane glass design.

All values below are averages compared with single-pane windows.




Pella® Lifestyle Series offers products awarded ENERGY STAR® Most Efficient for 2022.2

Base	Performance 71% More Energy Efficient <sup>8</sup> + 34% Noise Reduction <sup>3</sup>	Sound Control 52% Noise Reduction <sup>3</sup>	Energy Efficiency 83% More Energy Efficient <sup>8</sup>	Ultimate Performance 79% More Energy Efficient <sup>8</sup> + 52% Noise Reduction <sup>3</sup>	
Low-E Clear	Low-E Clear Clear	Low-E Clear Clear	Low-E Hard Coat Clear	Low-E Hard Coat United States Clear	
Advanced Low-E	Advanced Low-E SunDefense Low-E or NaturalSun Low-E	Advanced Low-E Sound-reduction glazing	AdvancedComfort	AdvancedComfort Sound-reduction glazing	
Two panes of insulating, energy-efficient glass and our most popular features and options.	A triple-pane glass design for a combination of both improved energy efficiency and sound performance.	Triple-pane glass design featuring mixed glass thicknesses for enhanced sound dampering.	A triple-pane glass design with upgraded AdvancedComfort Low-E glass for enhanced energy efficiency.	A triple-pane glass design featuring mixed glass thicknesses with upgraded AdvancedComfort Low-E glass for enhanced energy efficiency.	

Patented triple-pane glass design gives flexibility to add integrated blinds or shades without impacting performance.

# Grilles


Choose the look of true divided light, removable roomside grilles or make cleaning easier by selecting grilles-between-the-glass.



Divided-

**Divided-Light** with Spacer 7/8'

Aluminum Light without Grilles-Between the-Glass 3/4" Spacer 7/8



**Contoured Aluminum** Grilles-Betweenthe-Glass 3/4"



#### The Best Limited Lifetime Warranty in the Industry

We know your reputation matters and you stake your reputation on quality, dependable products. That's why we have the best limited lifetime warranty in the industry for wood windows and patio doors.<sup>4</sup>

- <sup>1</sup> Performance solutions require upgrades to triple-pane, AdvancedComfort Low-E and mixed glass thickness. Based on comparing product quotes and published STC/OITC and U-Factor ratings of leading national wood window and patio door brands.
- <sup>2</sup> Some Pella products may not meet ENERGY STAR certification in Canada. For more information, contact your local Pella sales representative or go to nrcan.gc.ca/energy/products/categories/fenestration/13739.
- <sup>3</sup> Reduction in sound based on OITC ratings of Pella Lifestyle Series windows with respective performance package compared to a single-pane wood or vinyl window with an OITC of 19. Calculated by using the sound transmission loss values in the 80 to 4000 Hz range as measured in accordance with ASTM E-90(09). Actual results may vary
- <sup>4</sup> Based on comparing written limited warranties of leading national wood window and wood patio door brands. See written limited warranty for details, including exceptions and limitations, at pella.com/warranty.
- <sup>5</sup> Double-hung windows available in dual-pane only.

- Available with triple-pane products only.
- Requires the Insynctive App on a smart device, an Insynctive Bridge and a wireless home router with internet connection.
- <sup>8</sup> Window energy efficiency calculated in a computer simulation using RESFEN 6.0 default parameters for a 2000 sq. foot new construction single-story home when Pella Lifestyle Series windows with the respective performance package are compared to a single-pane wood or vinyl window. The energy efficiency and actual savings will vary by location. The average window energy efficiency is based on a national average of 94 modeled cities across the country and weighting based on population. For more details see pella.com/methodology.
- Appearance of exterior grille color may vary depending on the Low-E insulating glass selection